

**1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes																														
1.	$\begin{array}{r} 54 \\ \hline 24 \\ \hline 216 \\ \hline 1080 \\ \hline 1296 \end{array}$ <table border="1" data-bbox="327 560 674 759"> <tr> <td></td> <td align="center"><b>5</b></td> <td align="center"><b>4</b></td> <td></td> </tr> <tr> <td align="center"><b>1</b></td> <td align="center">1 / 0</td> <td align="center">/ 8</td> <td align="center"><b>2</b></td> </tr> <tr> <td align="center"><b>2</b></td> <td align="center">2 / 0</td> <td align="center">1 / 6</td> <td align="center"><b>4</b></td> </tr> </table> <p align="center">9          6</p> <table border="1" data-bbox="327 852 674 999"> <tr> <td></td> <td align="center"><b>50</b></td> <td align="center"><b>4</b></td> </tr> <tr> <td align="center"><b>20</b></td> <td align="center">1000</td> <td align="center">80</td> </tr> <tr> <td align="center"><b>4</b></td> <td align="center">200</td> <td align="center">16</td> </tr> </table> <p>1000 + 200 + 80 + 16 = 1296</p> <table border="1" data-bbox="327 1107 674 1254"> <tr> <td align="center"><b>5</b></td> <td align="center"><b>0.4</b></td> <td></td> </tr> <tr> <td align="center">1</td> <td align="center">0.08</td> <td align="center"><b>0.2</b></td> </tr> <tr> <td align="center">0.2</td> <td align="center">0.016</td> <td align="center"><b>0.04</b></td> </tr> </table> <p>1 + 0.2 + 0.08 + 0.016 = 1.296</p>		<b>5</b>	<b>4</b>		<b>1</b>	1 / 0	/ 8	<b>2</b>	<b>2</b>	2 / 0	1 / 6	<b>4</b>		<b>50</b>	<b>4</b>	<b>20</b>	1000	80	<b>4</b>	200	16	<b>5</b>	<b>0.4</b>		1	0.08	<b>0.2</b>	0.2	0.016	<b>0.04</b>	1.296	3	<p>M1 for a complete method with relative place value correct. Condone 1 multiplication error, addition not necessary.</p> <p><b>OR</b></p> <p>M1 for a complete grid. Condone 1 multiplication error, addition not necessary.</p> <p><b>OR</b></p> <p>M1 for sight of a complete partitioning method, condone 1 multiplication error. Final addition not necessary.</p> <p>A1 for sight of digits 1296(00...) A1 (dep on M1, but not previous A1) for correct placement of decimal point in their product.</p> <p>[SC:B2 for digits 1296(00...) seen if M0 scored]</p>
	<b>5</b>	<b>4</b>																																
<b>1</b>	1 / 0	/ 8	<b>2</b>																															
<b>2</b>	2 / 0	1 / 6	<b>4</b>																															
	<b>50</b>	<b>4</b>																																
<b>20</b>	1000	80																																
<b>4</b>	200	16																																
<b>5</b>	<b>0.4</b>																																	
1	0.08	<b>0.2</b>																																
0.2	0.016	<b>0.04</b>																																

**1MA1 Practice Papers: Set 1 Regular (1H) mark scheme – Version 1.1**

**1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0**

1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0					
Question		Working	Answer	Mark	Notes
2.			$71.5 \leq H < 72.5$	2	B1 71.5 B1 72.5

**1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0**

Question		Working	Answer	Mark	Notes
3.		$6 \times 10 \times 8 = 480$ $480 \div (6 \times 20) =$	4	3	M1 for $6 \times 10 \times 8$ or 480 seen M1 (dep) for '480' $\div (6 \times 20)$ oe A1 cao <b>OR</b> M1 for $20 \div 10 (=2)$ or $10 \div 20 (= \frac{1}{2})$ or $\frac{8}{20}$ oe or $\frac{20}{8}$ oe M1 (dep) for $8 \div '2'$ or $8 \times \frac{1}{2}$ or $\frac{8}{20} \times 10$ oe or $10 \div \frac{20}{8}$ A1 cao SC : B2 for answer of 16 coming from $\frac{20 \times 8 \times 6}{10 \times 6}$ oe

**1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0**

Question		Working	Answer	Mark	Notes
<b>4.</b>		$0.38 \times 10^{-1}$ , $3800 \times 10^{-4}$ , $0.038 \times 10^2$ , 380	Correct order	2	M1 changing any one correctly or at least 3 in the correct order (ignoring one) or reverse order  A1 for correct order (accept any form)
<b>5.</b>	(a)	(4,0) (3, 0) (3, -1) (2, -1) (2, 2) (4, 2)	Correct position	2	B2 for correct shape in correct position (B1 for any incorrect translation of correct shape)
	(b)		Rotation  180°  (0,1)	3	B1 for rotation B1 for 180° (ignore direction) B1 for (0, 1) OR B1 for enlargement B1 for scale factor -1 B1 for (0, 1) (NB: a combination of transformations gets B0)
<b>6.</b>	(a)	$\frac{(x+2)^2}{x+2} = \frac{(x+2)}{1}$	$x + 2$	1	B1 $x + 2$ or $\frac{(x+2)}{1}$
	(b)		$6a^5b^2$	2	B2 cao  (B1 exactly 2 out of 3 terms correct in a product or $a^5b^2$ or $6a^{2+3}b^{1+1}$ )

**1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
7.	$180 \div 9 \times 1:180 \div 9 \times 3:180 \div 9 \times 5$ $= 20:60:100$  Not enough cement (but enough sand and enough gravel)  OR  $1 \times 15:3 \times 15:5 \times 15$ $=15:45:75$  $15 + 45 + 75 = 135$ (< 180)  Not enough cement (to make 180kg of concrete)	No + reason	4	M1 for $180 \div (1 + 3 + 5)$ (= 20) or 3 multiples of 1: 3: 5  M1 for $1 \times "20"$ or $3 \times "20"$ or $5 \times "20"$ or 20 seen or 60 seen or 100 seen  A1 for (Cement =) 20, (Sand =) 60, (Gravel) = 100  C1 ft (provided both Ms awarded) for not enough cement oe  OR  M1 for $(1 \times 15$ and) $3 \times 15$ and $5 \times 15$ or $9 \times 15$ or sight of the numbers 15, 45, 75 together.  M1 for '15' + '45' + '75'  A1 for 135 (< 180)  C1 ft (provided both Ms awarded) for not enough cement oe

**1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
8.		25	4	M1 for $600 \div 4 (=150)$ M1 for $4500 \div "150" (=30)$ M1 for $750 \div "30"$ A1 for 25 with supporting working OR M1 for $4500 \div 750 (= 6)$ or $750 \div 4500 (= \frac{1}{6})$ M1 for $600 \div 4 (=150)$ or $600 \div "6" (=100)$ or $600 \times "\frac{1}{6}" (= 100)$ M1 for $"150" \div "6"$ or $"100" \div 4$ or $150 \times "\frac{1}{6}"$ A1 for 25 with supporting working OR M1 for $4500 \div 750 (=6)$ or $750 \div 4500 (= \frac{1}{6})$ M1 for $\frac{1}{4} \times \frac{1}{6} \left( = \frac{1}{24} \right)$ M1 for $"\frac{1}{24}" \times 600$ A1 for 25 with supporting working

**1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0**

Question		Working	Answer	Mark	Notes
<b>9.</b>	(a)		15 – 19	1	B1 for 15 – 19 oe (e.g. 15 to 19)
	(b)		Frequency polygon through (2, 8), (7, 11), (12, 9), (17, 14) and (22, 18)	2	B2 for a complete and correct polygon (ignore any histograms, any lines below a mark of 2 or above a line of 22, but award B1 only if there is a line joining the first to last point)  (B1 for one vertical or one horizontal plotting error  OR for incorrect but consistent error in placing the midpoints horizontally (accept end points of intervals)  OR for correct plotting of mid-interval values but not joined )  Plotting tolerance $\pm \frac{1}{2}$ square  Points to be joined by lines (ruled or hand-drawn but not curves)
<b>10.</b>		$5q + 5p = 4 + 8p$  $5q = 4 + 8p - 5p$  $5q = 4 + 3p$  $q = \frac{4+3p}{5}$	$q = \frac{4+3p}{5}$	3	M1 for expansion of bracket or $5q + 5p$ or each term $\div 5$  M1 for correct process to $aq = bp + c$ , $a$ , $b$ and $c$ numbers  A1 $q = \frac{4+3p}{5}$ oe  [SC B2 for ambiguous answer e.g. $\frac{4+3p}{5}$ ]

**1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
11.	(a)	$x^2 - 3x + 5x - 15$	2	M1 for four correct terms with or without signs, or 3 out of no more than 4 terms with correct signs. The terms may be in an expression or in a table A1 cao
	(b)	$(x + 9)(x - 1) = 0$  OR  $a = 1, b = 8, c = -9$ $x = \frac{-8 \pm \sqrt{8^2 - 4 \times 1 \times -9}}{2 \times 1}$ $= \frac{-8 \pm \sqrt{100}}{2}$ OR  $(x + 4)^2 - 16 - 9$ $(x + 4)^2 = 25$ $x = -4 \pm \sqrt{25}$	3	M2 for $(x + 9)(x - 1)$ (M1 for $(x \pm 9)(x \pm 1)$ ) A1 cao OR M1 for correct substitution in formula of 1, 8, $\pm 9$ M1 for reduction to $\frac{-8 \pm \sqrt{100}}{2}$ A1 cao  OR M1 for $(x + 4)^2$ M1 for $-4 \pm \sqrt{25}$ A1 cao SC: if no marks score then award B1 for 1 correct root, B3 for both correct roots.



**1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0**

Question		Working	Answer	Mark	Notes
12.	(a)	$3t + 1 < t + 12$ $3t - t < 12 - 1$ $2t < 11$	$t < 5.5$	2	M1 $3t - t < 12 - 1$ A1 $t < 5.5$ oe (B1 for $t = 5.5$ or $t > 5.5$ or $5.5$ or $t \leq 5.5$ or $t \geq 5.5$ on the answer line)
	(b)		5	1	B1 for 5 or ft (a)
13.			54	3	M1 for any correct use of distance, speed, time formulae, e.g. $10 \div 40 (= 0.25)$ or 15 min M1 (dep) for a complete method to find speed from G to H, e.g. $18 \div (35 - "15") \times 60$ oe A1 cao
14.		$M = kL^3$ $k = \frac{M}{L^3} = \frac{160}{8} = 20$ Where $L = 3$ , $M = 20 \times 3^3$	540	4	M1 for $M \propto L^3$ $M = kL^3$ A1 $k = 20$ M1 for '20' $\times 3^3$ A1 for 540 cao
15.	(a)		25 16	2	M1 for correct use of frequency density to find a unit of area (for example $1 \text{ cm}^2 = 2.5$ or 1 small square = 0.1) or the area of one block. A1 cao
	(b)		Correct black (1cm high between 40 and 60)	1	B1 for correct black

**1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0**

Question		Working	Answer	Mark	Notes
<b>16.</b>	(a)		7	1	B1 for 7 (accept $-7$ or $\pm 7$ )
	(b)		$3\sqrt{5}$	1	B1 cao
<b>17.</b>			Proof	3	M1 for $(x =) 0.04545(\dots)$ or $1000x = 45.4545(\dots)$ , accept $1000x = 45.\dot{4}5$ or $100x = 4.54545(\dots)$ , accept $100x = 4.\dot{5}4$ or $10x = 0.4545(\dots)$ , accept $10x = 0.\dot{4}5$ M1 for finding the difference between two correct, relevant recurring decimals for which the answer is a terminating decimal A1 (dep on M2) for completing the proof by subtracting and cancelling to give a correct fraction e.g. $\frac{45}{990} = \frac{1}{22}$ or $\frac{4.5}{99} = \frac{1}{22}$
<b>18.</b>			Vertices at $(-6, 7)$ $(-3, 7)$ $(-3, 1)$	3	B3 fully correct (B2 correct orientation <b>and</b> correct size <b>or</b> two correct vertices) (B1 correct size <b>or</b> correct orientation <b>or</b> one correct vertex)

1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
19.	<p>EE + CC + HH</p> <p><b>Or</b></p> <p>EC+EH+CE+CH+HE +HC</p> <p><b>Or</b></p> <p>E,not E+ C,not C + H,not H</p>	$\frac{76}{110}$	5	<p>M1 for use of 10 as denominator for 2<sup>nd</sup> probability</p> <p>M1 for <math>\frac{4}{11} \times \frac{3}{10}</math> or <math>\frac{5}{11} \times \frac{4}{10}</math> or <math>\frac{2}{11} \times \frac{1}{10}</math></p> <p>M1 for <math>\frac{4}{11} \times \frac{3}{10} + \frac{5}{11} \times \frac{4}{10} + \frac{2}{11} \times \frac{1}{10} \left( = \frac{34}{110} \right)</math></p> <p>M1 (dep on previous M1 for <math>1 - \frac{34}{110}</math>)</p> <p>A1 for <math>\frac{76}{110}</math> oe</p> <p><b>Or</b></p> <p>M1 for use of 10 as denominator for 2<sup>nd</sup> probability</p> <p>M1 for <math>\frac{4 \times 5}{11 \times 10}</math> or <math>\frac{4 \times 2}{11 \times 10}</math> or <math>\frac{5 \times 4}{11 \times 10}</math> or <math>\frac{5 \times 2}{11 \times 10}</math> or <math>\frac{2 \times 4}{11 \times 10}</math> or <math>\frac{2 \times 5}{11 \times 10}</math></p> <p>M2 for <math>\frac{4 \times 5}{11 \times 10} + \frac{4 \times 2}{11 \times 10} + \frac{5 \times 4}{11 \times 10} + \frac{5 \times 2}{11 \times 10} + \frac{2 \times 4}{11 \times 10} + \frac{2 \times 5}{11 \times 10}</math></p> <p>(M1 for at least 3 of these)</p> <p>A1 for <math>\frac{76}{110}</math> oe</p> <p><b>Or</b></p> <p>M1 for use of 10 as denominator for 2<sup>nd</sup> probability</p> <p>M1 for <math>\frac{4}{11} \times \frac{7}{10}</math> or <math>\frac{5}{11} \times \frac{6}{10}</math> or <math>\frac{2}{11} \times \frac{9}{10}</math></p> <p>M2 for <math>\frac{4}{11} \times \frac{7}{10} + \frac{5}{11} \times \frac{6}{10} + \frac{2}{11} \times \frac{9}{10}</math></p> <p>(M1 for two of these added)</p> <p>A1 for <math>\frac{76}{110}</math> oe</p>

1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0

1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0				
Question	Working	Answer	Mark	Notes
20.	<p>Gradient of <math>AB = 2</math></p> <p>Gradient of perpendicular line <math>= -\frac{1}{2}</math></p> $y = -\frac{1}{2}x + c$ $-1 = -\frac{1}{2} \times 5 + c$ $c = \frac{3}{2}$	$y = -\frac{1}{2}x + \frac{3}{2}$	4	<p>M1 for attempt to find gradient of AB</p> <p>M1 (dep) for attempt to find gradient of perpendicular line eg use of <math>-1/m</math></p> <p>M1(dep on M2) for substitution of <math>x = 5, y = -1</math></p> <p>A1 for <math>y = -\frac{1}{2}x + \frac{3}{2}</math> oe</p>
21.	(a)	Circle, centre $O$ , radius 3	2	<p>M1 for a complete circle centre <math>(0, 0)</math></p> <p>A1 for a correct circle within guidelines</p>
	(b)	$x = 2.6, y = -1.6$ or $x = -1.6, y = 2.6$	3	<p>M1 for <math>x + y = 1</math> drawn</p> <p>M1 (dep) ft from (a) for attempt to find coordinates for any one point of intersection with a curve or circle</p> <p>A1 for <math>x = 2.6, y = -1.6</math> <b>and</b> <math>x = -1.6, y = 2.6</math> all <math>\pm 0.1</math></p>

**1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0**

Question		Working	Answer	Mark	Notes
22.	(a)	$\left(\frac{8}{4}\right)^2 \times 80$	320	2	M1 for $\left(\frac{8}{4}\right)^2$ or $\left(\frac{4}{8}\right)^2$ A1 for 320 cao
	(b)	$\left(\frac{4}{8}\right)^3 \times 600$	75	2	M1 for $\frac{1}{\left(\frac{8}{4}\right)}$ $\times 600$ A1 for 75 cao

1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0

Question	Working	Answer	Mark	Notes
23.	<p><math>DE = AE</math>, and <math>AE = EB</math> (tangents from an external point are equal in length) so <math>DE = EB</math></p> <p><math>AE = EC</math> (given)</p> <p>Therefore</p> <p><math>AE = DE = EB = EC</math> So <math>DB = AC</math></p> <p>If the diagonals are equal and bisect each other then the quadrilateral is a rectangle.</p> <p><b>OR</b></p> <p>If <math>AE = DE = EB = EC</math> then there are four isosceles triangles <math>ADE, AEB, BEC, DEC</math> in which the angles <math>DAB, ABC, BCD, CDA</math> are all the same.</p> <p>Since <math>ABCD</math> is a quadrilateral this makes</p>	Proof	4	<p>B1 for <math>DE = AE</math> or <math>AE = EB</math> (can be implied by triangle <math>AED</math> is isosceles or triangle <math>AEB</math> is isosceles or indication on the diagram)</p> <p>OR <u>tangents</u> from an external <u>point</u> are <u>equal</u> in length</p> <p>B1 for <math>AE = DE = EB = EC</math></p> <p>B1 for <math>DB = AC</math>, (dep on B2)</p> <p>OR consideration of 4 isosceles triangles in <math>ABCD</math></p> <p>C1 fully correct proof. Proof should be clearly laid out with technical language correct and fully correct reasons</p>

**1MA1 Practice Tests Set 1: Paper 1H (Regular) mark scheme – Version 1.0**

Question	Working	Answer	Mark	Notes
	all four angles $90^\circ$ , and $ABCD$ must therefore be a rectangle.			

National performance data taken from Results Plus

Qu	Spec	Paper	Session YMMM	Qu	Topic	Max score	Mean % all	ALL	A*	A	B	C	D	E
1	2544	14H	0806	Q02	Four operations	3	45	1.35	2.80	2.28	1.50	0.84	0.44	0.36
2				NEW	Bounds	2				No data available				
3	1MA0	1H	1206	Q12	Volume	3	37	1.11	2.55	1.74	1.12	0.75	0.48	0.36
4	1MA0	1H	1211	Q20	Standard form	2	60	1.20	1.91	1.80	1.61	1.20	0.73	0.46
5	1MA0	1F	1306	Q26	Translations	5	24	1.20				2.57	1.63	1.04
6	1380	1H	1203	Q15cd	Simplify expressions	3	54	1.62	2.80	2.46	1.98	1.33	0.74	0.45
7	1MA0	1H	1211	Q13	Ratio	4	44	1.76	3.77	3.45	2.78	1.60	0.61	0.16
8	1MA0	1H	1411	Q14	Ratio	4	31	1.23	3.63	3.20	2.46	1.34	0.65	0.24
9	1380	1H	1006	Q08	Frequency diagrams	3	51	1.53	2.63	2.13	1.49	0.96	0.56	0.34
10	1380	1H	0911	Q16	Rearranging equations	3	44	1.33	2.88	2.57	1.70	0.77	0.32	0.11
11	1380	1H	1011	Q23	Solve quadratic equations	5	36	1.82	4.62	3.60	2.22	1.07	0.43	0.17
12	1380	1H	0906	Q20	Solve inequalities	3	50	1.51	2.87	2.40	1.51	0.64	0.18	0.06
13	1MA0	1H	1506	Q14	Compound measures	3	34	1.03	2.58	1.94	1.30	0.64	0.23	0.09
14	1380	1H	0906	Q21	Direct and inverse proportion	4	45	1.81	3.88	3.27	1.62	0.51	0.10	0.03
15	2540	1H	0811	Q23	Histograms and grouped frequency	3	20	0.60	2.63	1.56	0.56	0.23	0.19	0.18
16	2540	1H	0811	Q25	Index notation	2	21	0.41	1.83	1.16	0.48	0.12	0.03	0.02
17	1MA0	1H	1506	Q21	Recurring decimals	3	22	0.66	2.57	1.69	0.67	0.16	0.04	0.01
18	5MM1	1H	1306	Q22	Enlargement	3	25	0.74	2.33	1.20	0.50	0.14	0.06	0.06
19	1MA0	1H	1303	Q24	Selection with and without replacement	5	16	0.79	4.43	2.96	1.10	0.22	0.04	0.01
20	2MB01	2H	1211	Q16	Equations of lines	4	22	0.86	2.94	2.15	0.73	0.20	0.01	0.02
21	1380	1H	1011	Q28	Graphs of circles	5	12	0.60	3.57	1.24	0.38	0.11	0.03	0.02
22	2540	1H	0806	Q24	Congruence and similarity	4	15	0.60	2.95	0.94	0.19	0.06	0.04	0.03
23	2MB01	2H	1103	Q16	Proof	4	2	0.07		No grade data available				
						<b>80</b>								